

Electa GF1-8



CART SPECIFICATIONS

DIMENSION(mm): 2800*1200*1800

RATED PASSENGERS:8

MAX SPEED(km/h): 30KM/H

MINI TURNING RADIUS(m) $\leq 3M$

CLIMBING ABILITY: 20-30%

BRAKE DISTANCE(m): $\leq 4M$

MAX MILEAGE(km): 45-50KM

MINI GROUND CLEARANCE(mm) ≥ 136

CURB WEIGHT(kg): 500

BATTERY LEAD ACID:60V83AH

TRACTION MOTOR:60V 3KW AC ASYNCHRONOUS MOTOR

Steering:Left

USA PLUG, 110/220V 50/60hz

electa

ceroEV
ELECTRIC VEHICLES

13 Bertel Avenue
Mount Vernon, NY 10550
www.ceroev.com
212.518.3750

Electa GF1-4



CART SPECIFICATIONS

DIMENSION(mm): 2800*1200*1800

RATED PASSENGERS: 4

MAX SPEED(km/h): 30KM/H

MINI TURNING RADIUS(m) $\leq 3M$

CLIMBING ABILITY: 20-30%

BRAKE DISTANCE(m): $\leq 4M$

MAX MILEAGE(km): 45-50KM

MINI GROUND CLEARANCE(mm) ≥ 136

CURB WEIGHT(kg): 500

BATTERY LEAD ACID: 60V83AH

TRACTION MOTOR: 60V 3KW AC ASYNCHRONOUS MOTOR

Steering: Left

USA PLUG, 110/220V 50/60hz

electa

ceroEV
ELECTRIC VEHICLES

13 Bertel Avenue
Mount Vernon, NY 10550
www.ceroev.com
212.518.3750

Electa G2 CARGO



CART SPECIFICATIONS

DIMENSION(mm): 2800*1200*1800

RATED PASSENGERS: 4

MAX SPEED(km/h): 30KM/H

MINI TURNING RADIUS(m) $\leq 3M$

CLIMBING ABILITY: 20-30%

BRAKE DISTANCE(m): $\leq 4M$

MAX MILEAGE(km): 45-50KM

MINI GROUND CLEARANCE(mm) ≥ 136

CURB WEIGHT(kg): 500

BATTERY LEAD ACID: 60V83AH

TRACTION MOTOR: 60V 3KW AC ASYNCHRONOUS MOTOR

Steering: Left

USA PLUG, 110/220V 50/60hz

electa

ceroEV
ELECTRIC VEHICLES

13 Bertel Avenue
Mount Vernon, NY 10550
www.ceroev.com
212.518.3750

Electa GF1-6



CART SPECIFICATIONS

DIMENSION(mm):3500*1200*1800

RATED PASSENGERS:6

MAX SPEED(km/h):30KM/H

MINI TURNING RADIUS(m) $\leq 3M$

CLIMBING ABILITY:20-30%

BRAKE DISTANCE(m) $\leq 4M$

MAX MILEAGE(km):45-50KM

MINI GROUND CLEARANCE(mm) ≥ 136

CURB WEIGHT(kg):550

BATTERY LEAD ACID60V83AH

TRACTION MOTOR:60V 3.0kw AC ASYNCHRONOUS MOTOR

Steering:Left

USA PLUG, 110/220V 50/60hz

electa

ceroEV
ELECTRIC VEHICLES

13 Bertel Avenue
Mount Vernon, NY 10550
www.ceroev.com
212.518.3750

Electa GF1-10



CART SPECIFICATIONS

DIMENSION(mm):5100*1200*1800

RATED PASSENGERS: 10

MAX SPEED(km/h):30km/h

MINI TURNING RADIUS(m) ≤ 5.6 m

CLIMBING ABILITY:0.25

BRAKEDISTANCE(m) ≤ 5 m

MAX MILEAGE(km)50-55KM

MINI GROUND CLEARANCE(mm): ≥ 136

CURB WEIGHT(kg):750

BATTERY LEAD ACID:72V100AH

TRACTION MOTOR 72V 4kw AC ASYNCHRONOUS MOTOR

Steering:Left

USA PLUG, 110/220V 50/60hz

electa

ceroEV
ELECTRIC VEHICLES

13 Bertel Avenue
Mount Vernon, NY 10550
www.ceroev.com
212.518.3750

Electa GC-14



CART SPECIFICATIONS

DIMENSION(mm):5100*1500*2050mm

RATED PASSENGERS:14

MAX SPEED(km/h):30km/h

MINI TURNING RADIUS(m) ≤ 5.6 m

CLIMBING ABILITY:0.25 BRAKEDISTANCE(m) ≤ 5 m

MAX MILEAGE(km)50-60KM

MINI GROUND CLEARANCE(mm): ≥ 160

CURB WEIGHT(kg):1100

BATTERY LEAD ACID:72V120AH

TRACTION MOTOR 72V 5kw AC ASYNCHRONOUS MOTOR

Steering:Left

USA PLUG, 110/220V 50/60hz

electa

ceroEV
ELECTRIC VEHICLES

13 Bertel Avenue
Mount Vernon, NY 10550
www.ceroev.com
212.518.3750